

DCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
<b>Litteraturliste - Adjuverende kemoterapi ved coloncancer</b>		
Forfattere: LWV, JP, SEN	Gælder fra 15. juni 2015	Gælder til:

1. Moertel CG, Fleming TR, Macdonald JS, Haller DG, Laurie JA, Goodman P et al. "Levamisole and fluorouracil for adjuvant therapy of resected colon carcinoma". N Engl J Med, Vol. 322, No. 6, 1990, pp. 352-358.
2. O'Connell MJ, Maillbrd JA, Kahn MJ, Macdonald JS, Haller DG, Mayer RJ et al. "Controlled trial of fluorouracil and low-dose leucovorin given for 6 months as postoperative adjuvant therapy for colon cancer". J Clin Oncol, Vol. 15, No. 1, 1997, pp. 246-250.
3. Wolmark N, Fisher B, Rockette H, Redmond C, Wickerham DL, Fisher ER et al. "Postoperative adjuvant chemotherapy or BCG for colon cancer: results from NSABP protocol C-01". J Natl Cancer Inst, Vol. 80, No. 1, 1998, pp. 30-36.
4. Francini G, Petrioli R, Lorenzini L, Mancini S, Armenio S, Tanzini G et al. "Folinic acid and 5-fluorouracil as adjuvant chemotherapy in colon cancer". Gastroenterology, Vol. 106, No. 4, 1994, pp. 899-906.
5. O'Connell MJ, Laurie JA, Kahn M, Fitzgibbons RJ Jr., Erlichman C, Shepherd L et al. "Prospectively randomized trial of postoperative adjuvant chemotherapy in patients with high-risk colon cancer". J Clin Oncol, Vol. 16, No. 1, 1998, pp. 295-300.
6. Popin EA, Benedetti JK, Estes NC, Haller DG, Mayer RJ, Goldberg RM et al. "Phase III Southwest Oncology Group 9415/Intergroup 0153 randomized trial of fluorouracil, leucovorin, and levamisole versus fluorouracil continuous infusion and levamisole for adjuvant treatment of stage III and high-risk stage II colon cancer 1". J Clin Oncol, Vol. 23, No. 9, 2005, pp. 1819-1825.
7. Andre T, Quinaux E, Louvet C, Colin P, Gamelin E, Bouche O et al. "Phase III study comparing a semimonthly with a monthly regimen of fluorouracil and leucovorin as adjuvant treatment for stage II and III colon cancer patients: final results of GERCOR C96.1". J Clin Oncol, Vol. 25, No. 24, 2007, pp. 3732-3738.
8. Scheithauer W, McKendrick J, Begbie S, Borner M, Burns WJ, Burris HA et al. "Oral capecitabine as an alternative to iv 5-fluorouracil-based adjuvant therapy for colon cancer: safety results of a randomized, phase III trial". Ann Oncol, Vol. 14, No. 12, 2003, pp. 1735-1743.
9. Twelves C, Gollins S, Grieve R, Samuel L. A randomised cross-over trial comparing patient preference for oral capecitabine and 5-fluorouracil/leucovorin regimens in patients with advanced colorectal cancer. Ann Oncol 2006; 17: 239-45.
10. Lembersky BC, Wieand HS, Petrelli NJ, O'Connell MJ, Colangelo LH, Smith RE et al. "Oral uracil and tegafur plus leucovorin compared with intravenous fluorouracil and leucovorin in stage II and III carcinoma of the colon: results from National Surgical Adjuvant Breast and Bowel Project Protocol C-061". J Clin Oncol, Vol. 24, No. 13, 2006, pp. 2059-2064.
11. Iwashyna TJ, Lamont EB. Effectiveness of adjuvant fluorouracil in clinical practice: a population-based cohort study of elderly patients with stage III colon cancer. J Clin Oncol 2002;20(19):3992-8.

DCCG'S NATIONALE RETNINGSLINIER FOR DIAGNOSTIK OG BEHANDLING AF KOLOREKTAL CANCER		
<b>Litteraturliste - Adjuverende kemoterapi ved coloncancer</b>		
Forfattere: LWV, JP, SEN	Gælder fra 15. juni 2015	Gælder til:

12. Sanoff HK, Carpenter WR, Sturmer T et al. Effect of Adjuvant Chemotherapy on Survival of Patients With Stage III Colon Cancer Diagnosed After Age 75 Years. *J Clin Oncol* 2012; 30(21):2624-34.
13. Andre T, Boni C, Mounedji-Boudlbf L, Navarro M, Tabernero J, Hickish T et al. "Oxaliplatin, fluorouracil, and leucovorin as adjuvant treatment for colon cancer". *N Engl J Med*, Vol. 350, No. 23, 2004, pp. 2343-2351.
14. Andre T, Boni C, Navarro M et al. Improved Overall Survival With Oxaliplatin, Fluorouracil, and Leucovorin As Adjuvant Treatment in Stage II or III Colon Cancer in the MOSAIC Trial. *J Clin Oncol* 2009; 27: 3109-3116.
15. Haller,D, Tabernero,J, Maroun,J et al First efficacy findings from a randomized phase III trial of capecitabine + oxaliplatin vs bolus 5-FU/LV for stage III colon cancer (NO16968/XELOXA study). *ECCO 2009. Abstr 5LBA*
16. Kuebler JP, Wieand HS, O'Connell MJ et al. Oxaliplatin Combined With Weekly Bolus Fluorouracil and Leucovorin As Surgical Adjuvant Chemotherapy for Stage II and III Colon Cancer: Results From NSABP C-07. *J Clin Oncol* 2007; 25: 2198-2204.
17. Rothenberg ML, Oza AM, Bigelow RH, Berlin JD, Marshall JL, Ramanathan RK et al. Superiority of oxaliplatin and fluorouracil-leucovorin compared with either therapy alone in patients with progressive colorectal cancer after irinotecan and fluorouracil-leucovorin: interim results of a phase III trial. *J Clin Oncol* 2003 June 1; 21 (11): 2059-69.
18. de Gramont A, de Gramont A, Chibaudel B et al. From Chemotherapy to Targeted Therapy in Adjuvant Treatment for Stage III Colon Cancer. *Seminars in Oncology* 2011; 38: 521-532.
19. Sinicrope FA, Sargent DJ. Molecular pathways: microsatellite instability in colorectal cancer: prognostic, predictive, and therapeutic implications. *Clin Cancer Res* 2012; 18(6): 1506-12
20. Schmoll HJ, Cartwright T, Tabernero J, Nowacki MP, Figer A, Maroun J et al. "Phase III trial of capecitabine plus oxaliplatin as adjuvant therapy for stage III colon cancer: a planned safety analysis in 1,864 patients 1". *J Clin Oncol*, Vol. 25, No. 1, 2007, pp. 102-109.
21. Quasar Collaborative Group, Gray R, Barnwell J, McConkey C, Hills RK, Williams NS et al. "Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study". *Lancet*, Vol. 370, No. 9604, 2007, pp. 2020-2029.
22. Gill S, Loprinzi CL, Sargent DJ et al. Pooled analysis of fluorouracil-based adjuvant therapy for stage II and III colon cancer: Who benefits and by how much? *J Clin Oncol* 2004; 22: 1797-1806.
23. Biagi JJ, Raphael MJ, Mackillop WJ, Weidong K, et al. Association between time to initiation of adjuvant chemotherapy and survival in colorectal cancer. A systematic review and meta-analysis. *JAMA* 2011;305(22):2335-2342.